Measure Value	Region	Calendar Year
14%	2. Midwest	2007
11.2%	3. South	2007
16.1%	4. West	2007
17.6%	2. Midwest	2008
15.7%	1. Northeast	2008
13.3%	3. South	2008
23.4%	4. West	2008
21.1%	2. Midwest	2009
16.6%	1. Northeast	2009
19.1%	3. South	2009
30.7%	4. West	2009
30.7%	2. Midwest	2010
23.4%	1. Northeast	2010
24%	3. South	2010
35.2%	4. West	2010
14.6%	2. Midwest	2010
11.8%	1. Northeast	2010
10.3%	3. South	2010
17.3%	4. West	2010

Page 1 of 10

Adoption of Electronic Medical Record/Electronic Health Record Functional level	Provider Type
Basic system	All
Fully functional system	All
Fully functional system	All
Fully functional system	All
Fully functional system	All

Page 2 of 10 Powered by socrata

20.40/	2. Midwest	2011
	1. Northeast	2011
41.5%	3. South	2011
37.7%	4. West	2011
20%	2. Midwest	2011
12.4%	1. Northeast	2011
13%	3. South	2011
23.7%	4. West	2011
40.1%	1. Northeast	2012
44.6%	2. Midwest	2012
35.7%	3. South	2012
40.1%	4. West	2012
21.4%	1. Northeast	2012
30%	2. Midwest	2012
18.3%	3. South	2012
27.2%	4. West	2012
40.9%	1. Northeast	2013
56.6%	2. Midwest	2013
44%	3. South	2013
53%	4. West	2013
23.5%	1. Northeast	2013
35.2%	2. Midwest	2013

Basic system	All
Basic system	All
Basic system	All
Basic system	All
Fully functional system	All
Fully functional system	All
Fully functional system	All
Fully functional system	All
Basic System	All
Basic System	All
Basic System	All
Basic System	All
Fully Functional System	All
Fully Functional System	All
Fully Functional System	All
Fully Functional System	All
Basic System	All
Basic System	All
Basic System	All
Basic System	All
Fully Functional System	All
Fully Functional System	All

Page 4 of 10 Powered by socrata

29.4%	3. South	2013
36.9%	4. West	2013
16.8%	2. Midwest	2007
14.1%	3. South	2007
19.2%	4. West	2007
20.7%	2. Midwest	2008
16.1%	1. Northeast	2008
14.9%	3. South	2008
24.7%	4. West	2008
22.7%	2. Midwest	2009
18.3%	1. Northeast	2009
20.4%	3. South	2009
33.8%	4. West	2009
34.8%	2. Midwest	2010
27.6%	1. Northeast	2010
29.2%	3. South	2010
38.6%	4. West	2010
20%	2. Midwest	2010
16.4%	1. Northeast	2010
15%	3. South	2010
18.8%	4. West	2010

Fully Functional System	All
Fully Functional System	All
Basic system	Primary care only
Fully functional system	Primary care only
Fully functional system	Primary care only
Fully functional system	Primary care only
Fully functional system	Primary care only

Page 6 of 10 Powered by socrata

42.8%	2. Midwest	2011
36.6%	1. Northeast	2011
34.9%	3. South	2011
44%	4. West	2011
26.7%	2. Midwest	2011
17.7%	1. Northeast	2011
18.5%	3. South	2011
28.3%	4. West	2011
42.4%	1. Northeast	2012
50.6%	2. Midwest	2012
39.5%	3. South	2012
44.2%	4. West	2012
24.5%	1. Northeast	2012
38.9%	2. Midwest	2012
21.2%	3. South	2012
30%	4. West	2012
44.5%	1. Northeast	2013
58.2%	2. Midwest	2013
50.3%	3. South	2013
58.5%	4. West	2013
29.9%	1. Northeast	2013

Basic system	Primary care only
Basic system	Primary care only
Basic system	Primary care only
Basic system	Primary care only
Fully functional system	Primary care only
Fully functional system	Primary care only
Fully functional system	Primary care only
Fully functional system	Primary care only
Basic System	Primary care only
Basic System	Primary care only
Basic System	Primary care only
Basic System	Primary care only
Fully Functional System	Primary care only
Fully Functional System	Primary care only
Fully Functional System	Primary care only
Fully Functional System	Primary care only
Basic System	Primary care only
Basic System	Primary care only
Basic System	Primary care only
Basic System	Primary care only
Fully Functional System	Primary care only

Page 8 of 10 Powered by socrata

39.8%	2. Midwest	2013
35.5%	3. South	2013
41%	4. West	2013

Page 9 of 10

Fully Functional System	Primary care only
Fully Functional System	Primary care only
Fully Functional System	Primary care only